UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



Region 6 Laboratory

Environmental Services Branch 10625 Fallstone Road, Houston, TX 77099 Phone: (281)983-2100 Fax: (281)983-2248

Final Analytical Report

Site NameOil Trust Fund
Sample Collection Date(s) 08/26/10 - 08/29/10
Contact Rich Mayer (6PD-F)
Report Date09/02/10
Project # 10REG250
Work Order(s)1008051

Analyses	included	in	this	report:
----------	----------	----	------	---------

LC DOSS

Report Narrative

LC DOSS:

DOSS was not found at or above the reporting limit for the samples in work order 1008051.

Standard procedures for quality assurance and quality control were followed in the analysis and reporting of the sample results. The results apply only to the samples tested. This final report should only be reproduced in full.

Reporting limits are adjusted for sample size and matrix interference.

Report Approvals:	
Richard McMillin	David Neleigh
Region 6 Laboratory Manager	Region 6 Laboratory Branch Chief

SNUMBON TO STATE OF THE PROTECTED OF THE

Please provide a reason for holding:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Environmental Services Branch Laboratory

10625 Fallstone Road Houston, Texas 77099

Sample Receipt and Disposal

Site Name: Oil Trust Fund Project Number: 10REG250					
Data Management Coordinator: Christy Warren	/ /				
Data Management Coordinator Signature	Date				
Date Transmitted:/					
Please have the U.S. EPA Project Manager/Officer of comments or questions.	call the Data Management Coordinator at 3-2137 for any				
Please sign and date this form below and return it w	ith any comments to:				
Christy Warren Data Management Coordinator Region 6 Laboratory 6MD-HS					
Received by and Date					
Comments:					
The laboratory routinely disposes of samples 90 day hold these samples in custody longer than 90 days, p	ys after all analyses have been completed. If you have a need to please sign below.				
Signature	Date				



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
T008-0043-100826-SW-13-1	1008051-01	Liquid	8/26/10 14:05	08/30/10 09:38
T008-0043-100826-SW-24-1	1008051-02	Liquid	8/26/10 9:50	08/30/10 09:38
T008-R636-100829-SW-1-1	1008051-03	Liquid	8/29/10 14:00	08/30/10 09:38
T008-R640-100829-SW-2-1	1008051-04	Liquid	8/29/10 12:05	08/30/10 09:38
T001-1403-100829-SW-03-1	1008051-05	Liquid	8/29/10 11:45	08/30/10 09:38
T001-R661-100829-SW-03-1	1008051-06	Liquid	8/29/10 9:30	08/30/10 09:38

Report Name: 1008051 FINAL 09 02 10 1223 Page 1 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-01

Batch: B0H3008 Sample Type: Liquid Station ID: T008-0043-100826-SW-13-1

Date Collected: 08/26/10 Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
Surr: DOSS-D34	165		104	50-150	08/30/10	08/30/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/30/10 08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 2 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-02

Batch: B0H3008 Sample Type: Liquid **Station ID: T008-0043-100826-SW-24-1**Date Collected: 08/26/10

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers		%Recovery Limits	Prepared Analyzed
Surr: DOSS-D34	173		105	50-150	08/30/10 08/30/10
		Targets			
Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/30/10 08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 3 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-03

Batch: B0H3008 Sample Type: Liquid Station ID: T008-R636-100829-SW-1-1

Date Collected: 08/29/10 Sample Volume: 18 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
Surr: DOSS-D34	222		105	50-150	08/30/10	08/30/10
		Targets				
Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		19.4	1	08/30/10	08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 4 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-04

Batch: B0H3008 Sample Type: Liquid Station ID: T008-R640-100829-SW-2-1

Date Collected: 08/29/10 Sample Volume: 30 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared Analyzed
Surr: DOSS-D34	135		106	50-150	08/30/10 08/30/10
		Targets			
Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		19.7	1	08/30/10 08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 5 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-05

Batch: B0H3008 Sample Type: Liquid Station ID: T001-1403-100829-SW-03-1

Date Collected: 08/29/10 Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared Analyzed
Surr: DOSS-D34	202		106	50-150	08/30/10 08/30/10
		Targets			
Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		19.5	1	08/30/10 08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 6 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008051-06

Batch: B0H3008 Sample Type: Liquid Station ID: T001-R661-100829-SW-03-1

Date Collected: 08/29/10 Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
Surr: DOSS-D34	206		108	50-150	08/30/10	08/30/10
		Targets				
Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Dioctyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/30/10	08/30/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.

Report Name: 1008051 FINAL 09 02 10 1223

Page 7 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H3008 Sample Type: Liquid

Blank (B0H3008-BLK1)

Prepared: 8/30/2010 Analyzed: 8/30/2010

Surrogates

	Result	Analyte	Spike		%REC
ANALYTE	μg/l	Qualifier	Level	%REC	Limits
Surr: DOSS-D34	196		191	103	50-150

Blank (**B0H3008-BLK1**)

Prepared: 8/30/2010 Analyzed: 8/30/2010

Targets

ANALYTE		Analyte Reporting Qualifiers Limit	
Dioctyl sulfosuccinate, sodium	U	20.0	

salt

LCS (B0H3008-BS1)

Prepared: 8/30/2010 Analyzed: 8/30/2010

Surrogates

ANALYTE	Result Analyte µg/l Qualifier	Spike Level	%REC %REC Limits	
Surr: DOSS-D34	201	191	105 50-150	

LCS (B0H3008-BS1)

Prepared: 8/30/2010 Analyzed: 8/30/2010

Targets

ANALYTE	Result	Analyte Reporting	Spike	%REC
	µg/l	Qualifiers Limit	Level	%REC Limits
Dioctyl sulfosuccinate, sodium salt	94.5	20.0	92.9	102 50-150

Report Name: 1008051 FINAL 09 02 10 1223

Page 8 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H3008 Sample Type: Liquid

Matrix Spike (B0H3008-MS1)

Source: 1008051-02 Prepared: 8/30/2010 Analyzed: 8/30/2010

Surrogates

ANALYTE	Result	Analyte	Spike	%REC
	µg/l	Qualifier	Level	%REC Limits
Surr: DOSS-D34	176		166	106 50-150

Matrix Spike (B0H3008-MS1)

Prepared: 8/30/2010 Analyzed: 8/30/2010 Source: 1008051-02

Targets

ANALYTE		Analyte Reporting Qualifiers Limit			%REC Limits	
Dioctyl sulfosuccinate, sodium	85.1	20.0	80.8	105	50-150	

salt

Matrix Spike Dup (B0H3008-MSD1)

Prepared: 8/30/2010 Analyzed: 8/30/2010 Source: 1008051-02

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC	%REC Limits
Surr: DOSS-D34	177		166	107	50-150

Matrix Spike Dup (B0H3008-MSD1)

Prepared: 8/30/2010 Analyzed: 8/30/2010 Source: 1008051-02

Targets

ANALYTE	Result µg/l	Analyte Reporting Qualifiers Limit			%REC Limits	RPD	RPD Limit
Dioctyl sulfosuccinate, sodium salt	85.2	20.0	80.8	105	50-150	0.07	30

Report Name: 1008051 FINAL 09 02 10 1223

Page 9 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

Page 1 of 1 Contact Kristle Warr Phone: 713.985.6636 Special Instructions T008-0043-100826-SW-24-1 T008-0043-100825-SW-13-1 Surface Water CHAIN OF CUSTODY RECORD R06_Deepwater_Grand_Isle Sample Time 14:05 2 20 ml VOA 2 20 ml VOA No: T0033-100403-20100826-02 Lab Phone: 312-353-0375

> Report Name: 1008051 FINAL 09 02 10 1223 Page 10 of 13



Region 6 Laboratory


10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

llems/Reason	Special Instructions			100	100	Lab# Sa	Contact: Kristie Warr Phone: 713:985.6636	Page 1 of 1
Relinquished by Relinquished b	uctions			T008-R640-100829-SW-2- DOSS	T008-R636-100829-SW-1- DOSS	Sample #	ste Warr 985.6636	
Date Street				Doss	DOSS	Analyses		
Received by Date Time Author Spal) 18445 Author Spalo 2217 2544 83452				Water	Water	Matrix		
8,20 18.48 8,20 18.48 8,20 22.17				Grab	Grab	Collection Method	CHAIN OF CUSTODY RECORD R06_Deepwater_Grand_Isle	
ltems/Reason				8/29/2010	8/29/2010	Collected	OY RECORD	
Relinquished By				12:05	14.00	Sample Time		
Pate Date	SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY #			6 20 ml VOA	2 20 ml VOA	Numb Cont Container	No: T0033	
Received by Date	ssferred from Sample Jamp = 600			4 C	40	Preservative MS/MSD	No: T0033-100403-20100829-02 AirbillNo: Lab: U.S. EPA Region 6 Laboratory Lab Phone: 281-983-2137	
8/30/10 9:3	0=6°C			\prec	z	MS/MSD	00829-02 AirbillNo: Laboratory L983-2137	



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

Notes and Definitions

Α This sample was extracted at a single acid pH.

HTS Sample was prepared and/or analyzed past recommended holding time. Concentrations should be

considered minimum values.

AES Atomic Emission Spectrometer

CVAA Cold Vapor Atomic Absorption

ECD Electron Capture Detector

GC Gas Chromatograph

GFAA Graphite Furnace Atomic Absorption

ICP Inductively Coupled Plasma

MS Mass Spectrometer

NA Not Applicable

NPD Nitrogen Phosphorous Detector

NR Not Reported

TCLP Toxicity Characteristic Leaching Procedure

Undetected U

Out of QC limits

Initial pressure in air analyses is the pressure at which the canister was received in psia (pounds per square inch absolute pressure).

The pH reported for Volatile liquid samples was tested using a 0-14 pH indicator strip for the purpose of verifying chemical preservation.

The statistical software used for the reporting of toxicity data is ToxCalc 5.0.32, Environmental Toxicity Data Analysis System 1994-2007 Tidepool Scientific Software.

Report Name: 1008051 FINAL 09 02 10 1223

Page 13 of 13



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

Items for Project Manager Review

LabNumber	Analysis	Analyte	Exception
	LC DOSS	(Liquid)	Special Units: (µg/l)
	LC DOSS	(Liquid)	J-Flags used
	LC DOSS	(Liquid)	Result calculations based on MDL
			VERSION 6.05:2001
			Default Report (not modified)

Report Name: 1008051 FINAL 09 02 10 1223 Page 1 of 2



Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099 Phone:(281)983-2100 Fax:(281)983-2248

Sample, Log and Extraction Comments

1008051-02 LC DOSS

1008051-04 LC DOSS

1008051-05 LC DOSS EXTRA VOLUME FOR QC

EXTRA VOLUME FOR QC

EXTRA VOLUME FOR QC

Report Name: 1008051 FINAL 09 02 10 1223 Page 2 of 2